

L Number	Hits	Search Text	DB	Time stamp
2	1	legacy same construct same reuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:39
1	30	legacy same code same reuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:38
3	10	(legacy same code same reuse) and weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:16
4	24	(legacy same code same reuse) and (weight or factor or priority)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:08
5	1	(legacy same code same reuse) and (717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:39
6	2	(legacy same construct) and (717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:40
7	0	(cobol same reuse) and (717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:40
8	0	(3G1 same reuse) and (717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:40
9	0	(3G1 same construct) and (717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:40
10	6	(cobol same construct) and (717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:43
11	7383	(cobol or PL/1 or (third adj generation adj language) or fortran)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:44
12	191	((cobol or PL/1 or (third adj generation adj language) or fortran)) same construct	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:45
13	2	((((cobol or PL/1 or (third adj generation adj language) or fortran)) same construct) same reuse\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:44

14	195	((cobol or PL/1 or (third adj generation adj language) or fortran)) same (construct or restruct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:45
15	1	((cobol or PL/1 or (third adj generation adj language) or fortran)) same (construct or restruct\$3)) same weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 18:46
16	413	legacy same (weight or factor or priority)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:14
17	2	(legacy same (weight or factor or priority)) same reuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:10
18	2	(legacy same (weight or factor or priority)) same construct	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:10
19	0	(legacy same (weight or factor or priority)) same restruct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:11
20	15	(legacy same (weight or factor or priority)) same terminal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:11
21	0	profil\$3 same instrument\$5 same (priorit\$3 or weight\$3) same legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:15
22	320	profil\$3 same instrument\$5 same (priorit\$3 or weight\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:15
23	20	(profil\$3 same instrument\$5 same (priorit\$3 or weight\$3)) same construct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 19:15
-	1	("20020194577").PN.	USPAT; US-PGPUB	2004/04/22 14:28
-	2	((("6167564") or ("6018627"))).PN.	USPAT; US-PGPUB	2004/04/19 15:54
-	1	EXEC adj cics adj gds adj receive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:34
-	181	mainframe same cics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:41
-	3	"181" and (3gl same construct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:42

-	0	(mainframe same cics) and (3gl same construct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 13:58
-	0	database same sort\$3 same accord\$3 near5 (weight)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:05
-	50	database same construct same weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:05
-	27279	database same construct same weight) (3gl or cics or mainframe	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:06
-	1	(database same construct same weight) same (3gl or cics or mainframe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:06
-	4	(database same construct same weight) and (3gl or cics or mainframe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:09
-	0	software same component same (weight or ease or difficulty) same restruct\$3 same list\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:10
-	1	software same component same (weight or ease or difficulty) same restruct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:11
-	2	component same (weight or ease or difficulty) same restruct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 14:11
-	4	(US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.	USPAT; US-PGPUB	2004/04/20 14:46
-	0	((US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and weight and component and construct and reconstruct	USPAT	2004/04/20 14:22
-	0	((US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and weight and component and (construct or reconstruct)	USPAT	2004/04/20 14:22
-	1	((US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and weight and component	USPAT	2004/04/20 14:22
-	2	restruct\$3 same software same component	USPAT; US-PGPUB	2004/04/20 14:47
-	970	(priorit\$4 or weight or critic\$4) same software same component	USPAT; US-PGPUB	2004/04/20 14:48
-	506	(priorit\$4 or weight) same software same component	USPAT; US-PGPUB	2004/04/20 14:48
-	26	((priorit\$4 or weight) same software same component) same (list\$3 or display\$3) same (sort\$3 or order\$3)	USPAT; US-PGPUB	2004/04/20 16:28
-	3	5950213.URPN.	USPAT	2004/04/20 15:40

-	670	legacy same component	USPAT; US-PGPUB	2004/04/20 16:34
-	21	((legacy same component) same (wide adarea adj network))	USPAT; US-PGPUB	2004/04/20 16:35
-	2	((legacy same component) same (wide adarea adj network)) same (world adj wide adj web)	USPAT; US-PGPUB	2004/04/20 16:35
-	183	((legacy or mainframe) same component same database)	USPAT; US-PGPUB	2004/04/20 16:35
-	587	((legacy or mainframe) same component same database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:35
-	78	((legacy or mainframe) same component same database) same (wide adarea adj network)	USPAT; US-PGPUB	2004/04/20 16:35
-	16	((legacy or mainframe) same component same database) same (wide adarea adj network)) same (world adj wide adj web)	USPAT; US-PGPUB	2004/04/20 16:42
-	3	((legacy or mainframe) same component same database) same (wide adarea adj network)) same (world adj wide adj web)) and (CICS or 3gl or cobol)	USPAT; US-PGPUB	2004/04/20 16:43
-	1	(terminal adj I/O) same (External adj Flow adj Transfer) same (Data adj I/O) same (computation\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:30
-	1	(terminal adj I/O) and (External adj Flow adj Transfer) and (Data adj I/O) and (computation\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:30
-	1	(terminal adj I/O) and (External adj Flow adj Transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:30
-	1	(External adj Flow adj Transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:30
-	8	(US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.	USPAT; US-PGPUB	2004/04/22 14:32
-	3142828	(EXEC adj CICS adj GDS adj RECEIVE) or (ACCEPT) or (DISPLAY) or (EXEC adj CICS adj HANDLE adj AID) or (EXEC adj CICS adj RECEIVE) or (EXEC adj CICS adj RECEIVE adj MAP) or (EXEC adj CICS adj RECEIVE adj MAP adj MAPPING adj DEV) or (EXEC adj CICS adj SEND adj MAP) or (EXEC adj CICS adj SEND adj MAP adj MAPPING adj DEV) or (EXEC adj CICS adj ACQUIRE adj TERMINAL) or (EXEC adj CICS adj CREATE adj TERMINAL) or (EXEC or CICS or DISCARD or TERMINAL) or (EXEC or CICS or INQUIRE or TERMINAL) or (EXEC adj CICS adj SET adj TERMINAL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:38

-	7	((US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and ((EXEC adj CICS adj GDS adj RECEIVE) or (ACCEPT) or (DISPLAY) or (EXEC adj CICS adj HANDLE adj AID) or (EXEC adj CICS adj RECEIVE) or (EXEC adj CICS adj RECEIVE adj MAP) or (EXEC adj CICS adj RECEIVE adj MAP adj MAPPING adj DEV) or (EXEC adj CICS adj SEND adj MAP) or (EXEC adj CICS adj SEND adj MAP adj MAPPING adj DEV) or (EXEC adj CICS adj ACQUIRE adj TERMINAL) or (EXEC adj CICS adj CREATE adj TERMINAL) or (EXEC or CICS or DISCARD or TERMINAL) or (EXEC or CICS or INQUIRE or TERMINAL) or (EXEC adj CICS adj SET adj TERMINAL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:46
-	2648099	SORT or STOP or (EXEC adj CICS adj ABEND) or (EXEC adj CICS adj DUMP) or (EXEC adj CICS adj CHANGE adj TASK) or (EXEC adj CICS adj CONNECT) or (EXEC adj CICS adj SUSPEND) or PERFORM or (EXEC adj CICS adj ISSUE adj ABEND) or (EXEC adj CICS adj ISSUE adj ABORT) or (EXEC adj CICS adj SET adj UOW) or (EXEC adj CICS adj EXTRACT adj TCPIP) or CALL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:46
-	7	((US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and (((US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and ((EXEC adj CICS adj GDS adj RECEIVE) or (ACCEPT) or (DISPLAY) or (EXEC adj CICS adj HANDLE adj AID) or (EXEC adj CICS adj RECEIVE) or (EXEC adj CICS adj RECEIVE adj MAP) or (EXEC adj CICS adj RECEIVE adj MAP adj MAPPING adj DEV) or (EXEC adj CICS adj SEND adj MAP) or (EXEC adj CICS adj SEND adj MAP adj MAPPING adj DEV) or (EXEC adj CICS adj ACQUIRE adj TERMINAL) or (EXEC adj CICS adj CREATE adj TERMINAL) or (EXEC or CICS or DISCARD or TERMINAL) or (EXEC or CICS or INQUIRE or TERMINAL) or (EXEC adj CICS adj SET adj TERMINAL)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:48

-	7	((US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and (((US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and (((US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and ((EXEC adj CICS adj GDS adj RECEIVE) or (ACCEPT) or (DISPLAY) or (EXEC adj CICS adj HANDLE adj AID) or (EXEC adj CICS adj RECEIVE) or (EXEC adj CICS adj RECEIVE adj MAP) or (EXEC adj CICS adj RECEIVE adj MAP adj MAPPING adj DEV) or (EXEC adj CICS adj SEND adj MAP) or (EXEC adj CICS adj SEND adj MAP adj MAPPING adj DEV) or (EXEC adj CICS adj ACQUIRE adj TERMINAL) or (EXEC adj CICS adj CREATE adj TERMINAL) or (EXEC or CICS or DISCARD or TERMINAL) or (EXEC or CICS or INQUIRE or TERMINAL) or (EXEC adj CICS adj SET adj TERMINAL))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:47
-	7	((US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and (SORT or STOP or (EXEC adj CICS adj ABEND) or (EXEC adj CICS adj DUMP) or (EXEC adj CICS adj CHANGE adj TASK) or (EXEC adj CICS adj CONNECT) or (EXEC adj CICS adj SUSPEND) or PERFORM or (EXEC adj CICS adj ISSUE adj ABEND) or (EXEC adj CICS adj ISSUE adj ABORT) or (EXEC adj CICS adj SET adj UOW) or (EXEC adj CICS adj EXTRACT adj TCPIP) or CALL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:53
-	3778472	((EXEC adj CICS adj DELETEQ adj TD) or OPEN or READ or (EXEC adj CICS adj DELETEQ adj TS) or (EXEC adj CICS adj READQ adj TD) or (EXEC adj CICS adj READQ adj TS) or (EXEC adj CICS adj WRITEQ adj TD) or (EXEC adj CICS adj WRITEQ adj TS) or READ or WRITE or PUT or GET	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:59
-	6	((US-5950213-\$ or US-6631495-\$ or US-6366910-\$ or US-6301574-\$ or US-6018627-\$ or US-6167564-\$ or US-5121330-\$).did. or (US-20020194577-\$).did.) and ((EXEC adj CICS adj DELETEQ adj TD) or OPEN or READ or (EXEC adj CICS adj DELETEQ adj TS) or (EXEC adj CICS adj READQ adj TD) or (EXEC adj CICS adj READQ adj TS) or (EXEC adj CICS adj WRITEQ adj TD) or (EXEC adj CICS adj WRITEQ adj TS) or READ or WRITE or PUT or GET)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 14:59
-	11	legacy adj collection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:48

-	6475	assign\$5 near4 weight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:51
-	1	(assign\$5 near4 weight) same (terminal adj (I/O or (input adj output)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:50
-	202	assign\$5 near4 weight same construct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:51
-	154	assign\$5 near2 weight same construct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:51
-	21	assign\$5 near2 weight near4 construct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:32
-	4469	171.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:34
-	1082	717/151-161.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:37
-	2204	709/238-241.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:37
-	921	710/5,34.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:38
-	4202	717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:38
-	0	(717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.) and (priorit\$5 or weight) same construct same (code near2 translat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:40
-	0	(717/151-161.CCLS. or 709/238-241.CCLS. or 710/5,34.CCLS.) and (instrument\$7 same weight same efficien\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:45
-	1282	legacy same (conver\$4 or transform\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:46
-	3	710/5,34.CCLS. and (legacy same (conver\$4 or transform\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:48

-	2313044	(priorit\$4 or restruct\$6) near "10" (program\$4) near "10" construct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:49
-	43	(priorit\$4 or restruct\$6) near10 (program\$4) near10 construct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:50
-	43	((priorit\$4 or restruct\$6) near "10" (program\$4) near "10" construct\$3) and ((priorit\$4 or restruct\$6) near10 (program\$4) near10 construct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:50
-	0	(legacy same (conver\$4 or transform\$5)) and ((priorit\$4 or restruct\$6) near10 (program\$4 near10 construct\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:51
-	13	(priorit\$4 or restruct\$6) near10 (program\$4 near10 construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 15:51

EAST - [244d.wsp.1]

Office

My Computer

Internet Explorer

Help and Support

Microsoft Office

Recent

Actions

File

Edit

Peer-to-Peer

Import

Web

Security

Right

CC

Control Panel

DSC

Ready

Start

Client Manager

Inbox - Microsoft O...

United States Pat...

PALM EXPO v2.0

Document1 - Micr...

PALM Resource C...

RE: Departmental

EAST - [244d.wsp.1]

Drafts

Pending

Active

- L2: (624) legacy same (conver\$4 or transform\$5)
- L3: (182) (software near10 component\$1) and I2
- L4: (0) I1 and I3
- L5: (459) I1 and (I1 or I2)
- L6: (0) I1 and (I3 or I2)
- L1: (459) sap.as.
- L7: (4271) ("717").CLAS.
- L8: (0) I1 and I7
- L9: (182) I2 and I3
- L10: (27) I7 and I9
- L14: (13) priorit\$4 or restruct\$5 near10(program\$4) near10(construct\$1
- L15: (117) (priorit\$4 or restruct\$5) same (program\$4) same(construct\$1
- L16: (0) I3 and I16
- L17: (1) I2 and I16
- L18: (8) I7 and I15**

Failed

Search

DS-1

USPAT:US:G:Pub:EPO:JPO:DERWENT:IGMAT08

Default operator: DS

17 and I15

	U	Document ID	Issue Date	Pages	Title	Current OR	Current XRef R	Inventor		C	P
1	<input type="checkbox"/>	US 6175967 B1	20010116	18	Method of, system for, and computer program product for providing efficient	717/156	717/169	Ju, Dz Ching et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	<input type="checkbox"/>	US 5838980 A	19981117	18	Compilation and virtual machine arrangement and process for source code	717/143	717/113; 717/148	Gullien, Juan et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	<input type="checkbox"/>	US 5819088 A	19981006	26	Method and apparatus for scheduling instructions for execution on a	717/149	717/161	Reinders, James R.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	<input type="checkbox"/>	US 5367684 A	19941122	16	Register allocation using an improved register candidate usage matrix	717/140		Smith, Kevin J.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	<input type="checkbox"/>	US 5175856 A	19921229	34	Computer with integrated hierarchical representation (IHR) of program wherein	717/151	717/124; 717/169	Van Dyke, Don A. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Ready

MSN

Details

HTML

1:55 PM

US-PAT-NO: 6560054

DOCUMENT-IDENTIFIER: US 6560054 B1

TITLE: Method for representing terminal-based applications in the unified modeling language

KWIC

Abstract Text - ABTX (1):

A computer-implemented method is disclosed for automatically **converting** text-based screen applications of a **legacy** computer system into a graphical-based representation thereof. The method includes the steps of **transforming** a terminal-based screen application into an application specification; **converting** the application specification into a modeling language-based representation; and, displaying the modeling language-based representation with a graphical user interface. The method of this invention also includes the capability of generating document type definitions of the modeling language-based representation, which enables transmission of the representation among modeling tools.

Brief Summary Text - BSTX (16):

These and other objects, which will become apparent as the invention is described in detail below, are provided in a computer-implemented method that automatically **converts** text-based screen applications of a **legacy** computer system into a graphical-based representation thereof. The method includes the steps of **transforming** a terminal-based screen application into an application specification; **converting** the application specification into a modeling language-based representation; and, displaying the modeling language-based

Details Test Image HTML KWIC

	U	1	Document ID	Current OR	Pages	Title
9			US 6606744 B1	717/174	285	Providing collaborative installation management in a network-based
9			US 6601234 B1	717/108	282	Attribute dictionary in a business services environment
10			US 6601233 B1	717/102	278	Business components framework
11			US 6560057 B1	717/126	287	Piecemeal retrieval in an information services patterns environment
12			US 6550054 B1	717/104	18	Method for representing terminal applications in the unified model
13			US 6546553	717/174	29	Service installation on a base fur

Details Test Image HTML



US006550054B1

(12) United States Patent
Stefaniak

(11) Patent No.: US 6,550,054 B1
(13) Date of Patent: Apr. 15, 2003

(54) METHOD FOR REPRESENTING
TERMINAL-BASED APPLICATIONS IN THE
UNIFIED MODELING LANGUAGE

6,157,936 A * 12/2000 Mutschler et al. 707/513
6,107,543 A * 12/2000 Postman et al. 707/103 Y
6,221,180 B1 * 4/2001 Moore et al. 707/103
6,253,344 B1 * 4/2001 Moore et al. 707/203
6,280,501 B1 * 9/2001 Moudoules, III 717/114
6,340,265 B1 * 1/2002 Clever et al. 703/25
6,340,404 B1 * 2/2002 Moore et al. 707/103 Y

(75) Inventor: Joseph Peter Stefaniak, San Clemente, CA (US)

(73) Assignee: Unisys Corporation, Blue Bell, PA (US)

(*) Notice: This patent issued on a continued prosecution application filed under 37 CFR 1.53(d), and is subject to the twenty year patent term provisions of 35 U.S.C. 154(a)(2).

OTHER PUBLICATIONS

Last XMI. Seen as Integral to Application Integration. IT Pro. Oct. 1999, pp. 13-16.
Peters et al. Model-Based Requirements Engineering and Experience. IEEE. 1995, pp. 60-69.

* cited by examiner

Primary Examiner—Gregory Moore

Assistant Examiner—Nhi Tran

(74) Attorney, Agent, or Firm—Phuong-Quan Hoang; Alfred W. Kozak; Mark T. Sturt

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 09/441,116

(22) Filed: Nov. 17, 1999

(51) Int. Cl. G06F 9/44; G06F 9/45

(52) U.S. Cl. 717/104; 717/137

(56) Field of Search: 717/104, 100-103, 717/136-143, 105-109, 110-116, 120-123, 165-166; 707/103 Y, 103 Y, 103 Z, 500, 513, 523, 526-529; 703/25; 345/947

References Cited

U.S. PATENT DOCUMENTS


6,018,627 A * 1/2000 Inyang et al. 717/103

6,036,393 A * 3/2000 Inyang et al. 717/104

ABSTRACT

A computer-implemented method is disclosed for automatically converting text-based screen applications of a legacy computer system into a graphical-based representation thereof. The method includes the steps of transforming a terminal-based screen application into an application specification; converting the application specification into a modeling language-based representation; and, displaying the modeling language-based representation with a graphical user interface. The method of this invention also includes the capability of generating document type definitions of the modeling language-based representation, which enables transmission of the representation among modeling tools.

24 Claims, 13 Drawing Sheets



Details Test Image HTML Full



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

profile instrumentation weight priority efficient code translation

Found 21,953 of 132,857

Sort results by



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐☐☐☐☐

1 [Fast detection of communication patterns in distributed executions](#)



Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: [pdf\(4.21 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [Efficient scheduling of conditional behaviors for high-level synthesis](#)



Apostolos A. Kountouris, Christophe Wolinski

July 2002 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 7 Issue 3

Full text available: [pdf\(1.50 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

As hardware designs get increasingly complex and time-to-market constraints get tighter there is strong motivation for high-level synthesis (HLS). HLS must efficiently handle both dataflow-dominated and controlflow-dominated designs as well as designs of a mixed nature. In the past efficient tools for the former type have been developed but so far HLS of conditional behaviors lags behind. To bridge this gap an efficient scheduling heuristic for conditional behaviors is presented. Our heuristic a ...

Keywords: Design automation, conditional behavior, high level synthesis (HLS), scheduling

3 [Continuous program optimization: A case study](#)



Thomas Kistler, Michael Franz

July 2003 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 25 Issue 4

Full text available: [pdf\(877.67 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Much of the software in everyday operation is not making optimal use of the hardware on which it actually runs. Among the reasons for this discrepancy are hardware/software



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **construct legacy transfer priority weight**

Found 31,272 of 132,857

Sort results by [Save results to a Binder](#)[Try an Advanced Search](#)Display results [Search Tips](#)Try this search in [The ACM Guide](#)
☐ Open results in a new window


Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)


Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1 [Fast detection of communication patterns in distributed executions](#)**

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**Full text available:  [pdf\(4.21 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

**2 [Computing curricula 2001](#)**September 2001 **Journal on Educational Resources in Computing (JERIC)**Full text available:  [pdf\(613.63 KB\)](#) [html\(2.78 KB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**3 [System-level power optimization: techniques and tools](#)**

Luca Benini, Giovanni de Micheli

April 2000 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 5 Issue 2Full text available:  [pdf\(385.22 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This tutorial surveys design methods for energy-efficient system-level design. We consider electronic systems consisting of a hardware platform and software layers. We consider the three major constituents of hardware that consume energy, namely computation, communication, and storage units, and we review methods of reducing their energy consumption. We also study models for analyzing the energy cost of software, and methods for energy-efficient software design and compilation. This survey ...

**4 [Efficient scheduling of conditional behaviors for high-level synthesis](#)**

Apostolos A. Kountouris, Christophe Wolinski

July 2002 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 7 Issue 3